



PH 8XL 4 POST SPECIFICATION SHEET



With an 8,000 lb capacity this is our 4 post lift most suitable for all cars and single axle pickups, with it's longer runway and more width between the columns.

Convenient for multipurpose storage (vehicles, motorcycles, ATVs, yard equipment, storage totes) or for safe accessibility when working on your vehicles

The ladder lock style column provides safety and the ability to adjust lock heights, and therefore runway height
Greaseable zerz fittings are standard on all pulleys.

Comes standard with:

- Polyurethane wheel castors that roll easily and without damage to epoxy floors
- Drip trays (6) provide coverage the full length of the lift
- Drive-on approach ramps that have a protective edge that won't scratch your garage floor
- Sliding, heavy duty tool/jack tray, convenient for vehicle maintenance
- Rubber wedge wheel stoppers
- Parking runways and cross beams are reinforced with welded-on steel doubling to prevent deflection
- Anchor bolts, in case you choose to bolt the lift down, but not required
- Drop-in front and rear wheel stoppers on runways

Options:

- 3,500 lb capacity hydraulic, sliding bridge jack
- Drive-on aluminum approach ramps
- Aluminum fillers to create a platform between runways

Specifications:

Lifting Capacity	8,000 lbs
Power unit electrical requirements (110v w/ 20 or 30 amp breaker. Comes standard with 110v motor unless you preorder 220v)	110 v
Lifting time	70 sec
Shipping weight	1,960 lbs
Lifting height in top position (to top of runway)	86
Clearance under lift in top lock position (bottom of runway)	81 1/2
Length of runway	185"(15' 5")
Length of approach ramp	37"
Height of columns (overall height)	97 1/2"
Size of columns	6" x3 1/2"
Runway width	20"
Width between runways	38"
Measurement to outside both runways	78"
Clearance between columns	98
Over width (with motor)	117"
Overall width (without motor)	106 3/4"
Lock height options (clearance under runway)	22" 28" 34" 40" 46" 52" 58" 64" 70" 76" 81 1/2"




Drive-on ramps with anti-scratch and high visibility edge




Welded-on Steel doubling for extra strength



Drip Trays x 4



Rapid-Descent Protection mechanism



Multiplying pulley



Sliding Tool/jack tray



Heavy-duty Release Mechanism and Runway Wheel Stoppers



Cylinder with explosion-proof valve



Wheel Castor Kit



Anchor Bolts